Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	31	((liquid ADJ1 crystal ADJ1 display) OR lcd) AND (uniform NEAR5 (common ADJ1 voltage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:18
<b>S2</b>	609	(common ADJ1 voltage) ADJ2 (driver OR generator OR circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:14
S3	341	((liquid ADJ1 crystal ADJ1 display) OR lcd) AND S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 14:59
S4	89	ITO AND S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/07 14:59
S5	199	((common ADJ1 voltage) ADJ2 (driver OR generator OR circuit)). AB.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:14
S6	128	((liquid ADJ1 crystal ADJ1 display) OR lcd) AND S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:43
<b>S7</b>	0	("2004/0085371").URPN.	USPAT	OR	ON	2006/11/07 15:39
<b>S8</b>	17	((uniform OR "same") NEAR2 (common ADJ1 voltage)) AND S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:44
S9	7	((liquid ADJ1 crystal) OR "liquid-crystal" OR lcd) AND (plural\$5 ADJ3 ((data OR column OR source) ADJ1 driver)) AND (((data OR column OR source) ADJ1 driver) WITH (common ADJ1 voltage ADJ2 (driver OR circuit)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 16:04
S10	2	((liquid ADJ1 crystal) OR "liquid-crystal" OR lcd) AND (plural\$5 ADJ3 (common ADJ1 voltage ADJ2 (driver OR circuit)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 08:08

				<u> </u>		
S11	229	((liquid ADJ1 crystal) OR "liquid-crystal" OR lcd) AND (common ADJ1 voltage ADJ2 (driver OR circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:16
S12		((liquid ADJ1 crystal) OR "liquid-crystal" OR lcd) AND (second ADJ1 (common ADJ1 voltage ADJ2 (driver OR circuit)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 08:08
S13	344	((liquid ADJ1 crystal) OR "liquid-crystal" OR lcd) AND (common ADJ3 voltage ADJ2 (driver OR circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 08:49
S14	2	"20050212735".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 08:29
S15	0	(each ADJ2 ((data OR column OR source) ADJ1 (driver OR circuit))) WITH (common ADJ3 voltage ADJ3 (circuit OR driver))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 08:41
S16	2	"20040160400".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 08:41
S17	0	("2004/0160400").URPN.	USPAT	OR	ON	2006/11/08 08:44
S18	1	"6049368".PN.	USPAT	OR	ON	2006/11/08 08:45
S19	1	"6341003".PN.	USPAT	OR	ON	2006/11/08 08:45
S20	1	"6392626".PN.	USPAT	OR	ON	2006/11/08 08:45
S21	2059	(common ADJ2 voltage ADJ2 (circuit OR driver OR supply))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 08:50
S22	481	((liquid ADJ1 crystal) OR "liquid-crystal" OR Icd) AND S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 08:50
S23	33	second ADJ2 (common ADJ2 voltage ADJ2 (circuit OR driver OR supply))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 09:01

S24 ·	58	((liquid ADJ1 crystal) OR "liquid-crystal" OR lcd) AND (plural\$5 ADJ2 (common ADJ2 voltage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:56
S25	0	("2005/0088392").URPN.	USPAT	OR	ON	2006/11/08 09:09
S26		"20040085371".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:10
S27	658	display.AB. AND (storage NEAR5 (shift ADJ1 register))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:11
S28	193	display.AB. AND (storage ADJ2 (shift ADJ1 register))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:12
S29	. 215	display.AB. AND (storage ADJ2 latch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:13
S30	58	"345"/\$.CCLS. AND S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:27
S31	455	(common ADJ2 voltage ADJ2 (driver OR generator OR circuit)) AND ((liquid ADJ1 crystal) OR "liquid-crystal" OR lcd)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/08 14:49
<b>S32</b>	702	(adjust\$5 NEAR5 (common ADJ2 voltage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:28
S33	82	S31 AND S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:28
S34	0	("2004/0164943").URPN.	USPAT	OR	ON	2006/11/08 14:46

						•
S35	0	(common ADJ2 voltage ADJ2 (driver OR generator OR circuit)) WITH buffer WITH converter WITH register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:50
S36	2	(common ADJ2 voltage ADJ2 (driver OR generator OR circuit)) SAME buffer SAME converter SAME register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/08 14:52
S37	273	345/206.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:52
S38	22	S37 AND (common ADJ3 voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:56
S39	28568	(common ADJ3 voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:56
S40	6082	(common ADJ3 voltage).AB.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:56
S41	1333	((liquid ADJ1 crystal) OR "liquid-crystal" OR lcd) AND S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:57
S42	1133	(common ADJ3 voltage) WITH converter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:58
S43	. 287	(common ADJ3 voltage) WITH (register OR latch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:57
S44	43	S42 AND S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:57

	<u> </u>					
S45	43	S42 AND S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:57
S46	4	S41 AND S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:04
S47	2	"6236384".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:06
S48	2	"20040164943".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 16:03
S49	29	(common ADJ3 voltage) WITH conver\$5 WITH storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:10
S50	6	S49 AND "345"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:16
S51	493	((liquid ADJ1 crystal) OR "liquid-crystal" OR lcd) AND (common ADJ3 voltage ADJ2 (driver OR circuit OR generator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:16
S52	283	S51 AND conver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:17
S53	142	S52 AND (latch OR register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON T	2006/11/08 15:17
S54	423	(stor\$5 NEAR5 (common ADJ2 voltage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 16:04

			Т			
S55	287	((liquid ADJ1 crystal) OR "liquid-crystal" OR lcd) AND S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 16:04
S56	116	S55 AND conver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 16:04
S57	69	S56 AND "345"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/08 16:04
S58	2	"20050134556".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 15:21
S59	2	"20050212735".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:31
S60	2	"20040164943".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 10:03
S61		S60 AND uniform	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:31
S62	1	S60 AND "same"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:37
S63	23470	(common WITH clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:38
S64	0	S60 AND S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:37

				· · · · · · · · · · · · · · · · · · ·		
\$65	. 0	S60 AND (common SAME clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:38
S66		"20040227895".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 12:28
S67 .	195	(common ADJ2 voltage) WITH (gate ADJ1 driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 12:29
S68	118	S67 AND "345"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 12:33
S69	2	(gate ADJ1 driver) NEAR3 (compris\$5 OR includ\$5) NEAR3 (common ADJ2 voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 12:34
S70	109	(gate ADJ1 driver) WITH (compris\$5 OR includ\$5) WITH (common ADJ2 voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 12:47
S71	379	((gate OR scan\$5) ADJ2 (driver OR circuit OR ic)) WITH (common ADJ2 voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 12:48
S72	218	S71 AND "345"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 12:47
S73	164	((gate OR scan\$5) ADJ2 (driver OR circuit OR ic)) WITH (common ADJ2 voltage) WITH (includ\$5 OR compris\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 12:49
S74	101	S73 AND "345"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 12:48

S75	22	((gate OR scan\$5) ADJ2 (driver OR circuit OR ic)) NEAR5 (common ADJ2 voltage) NEAR5 (includ\$5 OR compris\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 12:49
-----	----	--	---	----	----	------------------